## **AMENDMENTS TO THE CLAIMS**

Claim 1. (Currently Amended) Compound of formula

$$R_4$$
  $(O)_q$   $R_3$   $(I)_m$   $(I)_n$ 

## wherein

R<sub>1</sub> and R<sub>2</sub>, independently of one another, are halogen, C<sub>1</sub>-C<sub>6</sub>-alkyl, C<sub>3</sub>-C<sub>6</sub>cycloalkyl, halogen-C<sub>1</sub>-C<sub>6</sub>-alkyl, halogen-C<sub>3</sub>-C<sub>6</sub>-cycloalkyl, C<sub>2</sub>-C<sub>4</sub>-alkenyl, C<sub>2</sub>-C<sub>4</sub>-alkinyl, halogen-C<sub>2</sub>-C<sub>4</sub>-alkenyl, halogen-C<sub>2</sub>-C<sub>4</sub>-alkinyl, C<sub>1</sub>-C<sub>6</sub>-alkoxy, halogen-C<sub>1</sub>-C<sub>6</sub>-alkoxy, C<sub>2</sub>-C<sub>6</sub>-alkenyloxy, C<sub>2</sub>-C<sub>6</sub>-alkinyloxy, halogen-C<sub>2</sub>-C<sub>6</sub>-alkenyloxy, halogen-C<sub>2</sub>-C<sub>6</sub>-alkinyloxy, -SF<sub>5</sub>, -C(=O)N(R<sub>5</sub>)<sub>2</sub>,  $-O-C(=O)N(R_5)_2$ , -CN,  $-NO_2$ ,  $-S(=O)_2N(R_5)_2$ ,  $-S(=O)_p-C_1-C_6$ -alkyl,  $-S(=O)_p$ -halogen- $C_1$ - $C_6$ -alkyl, -O- $S(=O)_p$ - $C_1$ - $C_6$ -alkyl, -O- $S(=O)_p$ -halogen-C<sub>1</sub>-C<sub>6</sub>-alkyl, phenyl, benzyl, phenoxy or benzyloxy, wherein each of the phenyl, benzyl, phenoxy or benzyloxy radicals is either unsubstituted or mono- to penta-substituted in the aromatic ring, independently of each other, by substituents selected from the group consisting of halogen, cyano, NO<sub>2</sub>,  $C_1$ - $C_6$ -alkyl, halogen- $C_1$ - $C_6$ -alkyl,  $C_1$ - $C_6$ -alkoxy and halogen- $C_1$ - $C_6$ -alkoxy;  $R_3$  is hydrogen, OH, halogen,  $C_1$ - $C_6$ -alkoxy, or -O-C(=O)- $C_1$ - $C_6$ -alkyl; R4 is phenyl, G1-G6-alkyl, halogon-G1-G6-alkyl, G2-G6-cycloalkyl, halogon-G2-Gs-eycloalkyl, G2-Gs-eycloalkoxy, halogon-G1-Gs-alkoxy, G2-G4-alkenyl, C2-C4-alkinyl, halogon-C2-C4-alkonyl, halogon-C2-C4-alkinyl, C1-C6-alkoxy, halogen-C<sub>1</sub>-C<sub>s</sub>-alkoxy, C<sub>2</sub>-C<sub>s</sub>-alkenyloxy, C<sub>2</sub>-C<sub>s</sub>-alkinyloxy, halogen-C2-C6-alkenyloxy, halogen-C2-C6-alkinyloxy, -C(-O)-C2-C6-alkyl, -C(-O)-halogon-C<sub>1</sub>-C<sub>6</sub>-alkyl, -C(-O)-OC<sub>1</sub>-C<sub>6</sub>-alkyl, -C(-O)-O-halogon-C<sub>1</sub>-C<sub>6</sub>alkyl,-NR<sub>6</sub>-C(=0)-O-C<sub>1</sub>-C<sub>6</sub>-alkyl,-NR<sub>6</sub>-C(=0)-O-halogen-C<sub>1</sub>-C<sub>6</sub>-alkyl,  $-C(=O)N(P_{G})_{27}, -O-C(=O)N(P_{G})_{27}, -CN, -NO_{27}, -S(=O)_{2}N(P_{G})_{27}, -S(=O)_{0}-C_{1}-C_{6}-C_{6}$ alkyl, S(=O), halogon C1-C6-alkyl, O-S(=O), C1-C6-alkyl, O-S(=O), halogon-G<sub>4</sub>-G<sub>6</sub>-alkyl;

benzyl, phenoxy, benzyloxy; or phenyl, benzyl, phenoxy or benzyloxy which is mono- to-penta-substituted, independently of each other, by substituents selected from the group consisting of halogen, cyano, NO<sub>2</sub>, C<sub>1</sub>-C<sub>6</sub>-alkyl, G2-G2-eveloalkyl, G2-G2-eveloalkyl-G1-G2-alkyl, halogon-G1-G2-alkyl, G<sub>1</sub>-G<sub>2</sub>-alkoxy, G<sub>2</sub>-G<sub>3</sub>-cycloalkoxy, G<sub>2</sub>-G<sub>3</sub>-cycloalkoxy-G<sub>1</sub>-G<sub>5</sub>-alkyl, C2-C2-cycloalkyl-C1-C5-alkoxy, halogen-C1-C5-alkoxy, C2-C4-alkenyl, G2-G4-alkinyl, halogen-G2-G4-alkenyl, halogen-G2-G4-alkinyl, G2-G6-alkenylexy, C2-C6-alkinyloxy, halogon-C2-C6-alkenyloxy, halogon-C2-C6-alkinyloxy, -NR<sub>6</sub>-C(=0)-O-C<sub>1</sub>-C<sub>6</sub>-alkyl, -NR<sub>6</sub>-C(=0)-O-C<sub>2</sub>-C<sub>6</sub>-alkenyl,  $-NR_c-C(-O)-O$ -halegen- $C_4$ - $C_6$ -alkyl,  $-C(R_2)-N$ -W- $R_8$ , phenyl, benzyl, phenoxy, benzyloxy, heterocyclyl and heterocyclyloxy, wherein, depending on the substitution possibility on the ring, the heterocyclyl and heterocyclyloxy radicals are optionally mono- to trisubstituted by substituents selected from the group consisting of halogen, C<sub>1</sub>-C<sub>6</sub>-alkyl, halogen-C<sub>1</sub>-C<sub>6</sub>-alkyl, C<sub>1</sub>-C<sub>6</sub>-alkoxy, halogen-C<sub>1</sub>-C<sub>6</sub>-alkoxy, C<sub>3</sub>-C<sub>6</sub>-cycloalkyl-C<sub>1</sub>-C<sub>6</sub>-alkyl, cyano-C<sub>1</sub>-C<sub>6</sub>-alkyl, C<sub>3</sub>-C<sub>6</sub>-alkenyl, C<sub>3</sub>-C<sub>6</sub>-alkinyl, phenyl or benzyl; the two  $R_5$  independently of one another, are hydrogen or  $C_1$ - $C_6$ -alkyl;

Rs—is hydrogen, C<sub>1</sub>-C<sub>8</sub>-alkyl or benzyl;

 $\begin{array}{lll} & \text{R}_{2}-\text{is halogen,} C_{1}-C_{6}-\text{alkyl,} C_{2}-C_{8}-\text{cycloalkyl,} C_{2}-C_{8}-\text{cycloalkyl-}C_{1}-C_{6}-\text{alkyl,} \\ & \text{halogen-}C_{1}-C_{6}-\text{alkyl,} C_{1}-C_{6}-\text{alkoxy,} C_{2}-C_{8}-\text{cycloalkoxy,} C_{2}-C_{8}-\text{cycloalkoxy-}C_{1}-C_{6}-\text{alkyl,} \\ & \text{halogen-}C_{1}-C_{6}-\text{alkoxy,} -\text{NH}(C_{1}-C_{6}-\text{alkyl)}) \text{ or } -\text{N}(C_{1}-C_{6}-\text{alkyl})_{2}; \end{array}$ 

 $R_8$ — is hydrogen,  $G_4$ - $G_6$ -alkyl,  $G_2$ - $G_6$ -cycloalkyl,  $G_2$ - $G_6$ -cycloalkyl- $G_4$ - $G_6$ -alkyl, halogen- $G_4$ - $G_6$ -alkyl or -G(-G)- $G_4$ - $G_6$ -alkyl;

m is 0, 1, 2, 3, 4 or 5;

n is 0, 1, 2, 3, 4 or 5;

p is 0, 1 or 2;

q is 0 or 1

W is O or NH or N-C<sub>1</sub>-C<sub>6</sub>-alkyl;

and, if appropriate, the E/Z isomers, E/Z isomeric mixtures and/or tautomers thereof, each in free form or in salt form;

Claim 2. (Original) A compound of formula (I) according to claim 1, in free form.

Claim 3. (Previously Amended) A compound of formula (I) according to claim 1, wherein  $R_1$  and  $R_2$ , independently of each other, are halogen,  $C_1$ - $C_2$ -alkyl,  $C_3$ - $C_6$ -cycloalkyl, halogen- $C_1$ - $C_2$ -alkyl,  $C_1$ - $C_2$ -alkoxy, halogen- $C_1$ - $C_2$ -alkoxy, -C(=O)N(CH<sub>3</sub>)<sub>2</sub>, -CN or -NO<sub>2</sub>

Claim 4. (Previously Amended) A compound of formula (I) according to claim 1, in which R<sub>3</sub> is hydrogen, OH, halogen or C<sub>1</sub>-C<sub>6</sub>-alkoxy.

Claim 5. (Cancelled)

Claim 6. (Currently Amended) A posticidal An insecticidal and acaricidal composition comprising at least-one or more compounds of formula (I) according to claim 1 as active ingredient, either in free form or in the form of an agrochemically acceptable salt, and at least one adjuvant.

Claim 7. (Withdrawn)

Claim 8. (Currently Amended) A method for the control of pests insects and representatives of the order Acarina in which a compound of formula (I) according to claim 1 as the active ingredient is applied, in free form or optionally in the form of an agrochemically acceptable salt, to pests insects and representatives of the order Acarina, or their habitat, in an amount of 1 to 2000 g per hectare.

Claim 9. (Cancelled)